


Modal Aerosol Formulation and Indirect Effects in NCAR CAM

X. Liu, S. J. Ghan, R. Easter, R. Zaveri
(PNNL)

*A. Gettelman, P. Rasch, H. Morrison, J.-F. Lamarque, P. Hess, N.
Mahowald, F. Vitt*
(NCAR)

P. Cameron-Smith, C. Chuang, K. Grant
(LLNL)

Annica Ekman
(Stockholm University)




U.S. DEPARTMENT OF ENERGY



Bulk Aerosol Model (BAM)

- External mixtures of all important aerosol types: sulfate, sea salt, dust, hydrophobic and hydrophilic OC & BC
- Prescribed size distribution
 - number proportional to mass
- Coupled to 2-moment cloud microphysics
- Tuned to produce an acceptable climate

Benchmark 7-Mode Modal Aerosol Model (MAM)




Simplified 3-mode version of MAM

Assume primary carbon is internally mixed with secondary aerosol.

Neglect aerosol water transport.

Assume ammonium neutralizes sulfate.



Total transported
aerosol tracers: 15

CAM Simulations (CAM3.5.54)

- Modal aerosol (1.9x2.5), 5 years
 - 3-mode present-day (PD) simulations
 - 3-mode pre-industrial (PI) simulations
 - 7-mode present-day (PD) simulations
 - 7-mode pre-industrial (PI) simulations
- Bulk aerosol (1.9x2.5), 5 years, PD and PI simulations


- **Coupled with 2-moment MG cloud microphysics**
- **Same NCAR emissions (OC, BC, DMS, SO₂, SO₄) for PD & PI**
- **Same emission schemes (dust and coarse sea salt)**
 - **ultrafine sea salt and SOA(g) emissions for Modal aerosol**
- **Same oxidant fields for PD and PI (Modal and Bulk)**



Sulfate Column Burden


Modal-3

0.69 TgS




Bulk

0.77 TgS




Modal-7

0.66 TgS





SO4 Zonal

Modal-3




Bulk





BC Column Burden


Modal-3 0.11 TgC



Bulk 0.13 TgC




Modal-7 0.14 TgC





BC Zonal



Modal-3



Bulk





OC Column Burden




MAM includes SOA treatment

SO₄ compared with IMPROVE data





OC compared with IMPROVE data


3-Mode





Bulk





Obs




SO₄ compared with RSMAS data



Dust compared with RSMAS data




CCN ($S=0.1\%$)




Aerosol Indirect Effect

Present – Past Shortwave Cloud Forcing (W/m²)



Present – Past Liquid Water Path (g/m²)



Aerosol Indirect Effects

Modal-7

$$\Delta\text{TOA (Wm}^{-2}\text{)} = -1.2$$

$$\Delta\text{direct (Wm}^{-2}\text{)} = -0.3$$

$$\Delta\text{indirect (Wm}^{-2}\text{)} = -0.9$$

Modal-3

$$\Delta\text{TOA (Wm}^{-2}\text{)} = -1.4$$

$$\Delta\text{direct (Wm}^{-2}\text{)} = -0.4$$

$$\Delta\text{indirect (Wm}^{-2}\text{)} = -1.0$$

BAM

$$\Delta\text{TOA (Wm}^{-2}\text{)} = -2.7$$

$$\Delta\text{direct (Wm}^{-2}\text{)} = -0.7$$

$$\Delta\text{indirect (Wm}^{-2}\text{)} = -2.0$$

??


1. Natural aerosol (SOA, fine SS)
2. Aerosol treatments
3. Aerosol mass \rightarrow number

Summary


- ▶ Simplified 3-mode version captures the essentials of the aerosol microphysics and reduce the computer needs significantly (150% to 40% higher than BAM);
- ▶ Significantly higher indirect effects in the BAM than the modal aerosol;
 - Aerosol treatment (predicted aerosol in cloud phase in MAM)
 - SOA, ultra-fine sea salt emission
 - Aerosol mass to size for indirect effects
important to predict aerosol size distribution!!

Aerosol Optical Depth (AOD) - January


Modal AOD=0.11




Bulk AOD=0.19



MODIS




MISR




Aerosol Optical Depth (AOD) - July


Modal AOD=0.13





Bulk AOD=0.20



MODIS




MISR



Cloud Droplet Number at 903 hPa


Modal-3

In cloud droplet number: modal



Bulk

In cloud droplet number: bulk



Modal-7

In cloud droplet number: 7 modes

